INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP2004/008940

A. CLASSIFIC Int.Cl	CATION OF SUBJECT MATTER D01F6/86		
According to Int	ernational Patent Classification (IPC) or to both nationa	I classification and IPC	
B. FIELDS SE	ARCHED		
Minimum docum	nentation searched (classification system followed by cla	assification symbols)	
Int.CI	D01F6/62, 84, 86, 92		•
	·		•
Documentation s	searched other than minimum documentation to the exter	nt that such documents are included in th	e fields searched
Jitsuyo	Shinan Koho 1926-1996 To	roku Jitsuyo Shinan Koho	1994-2004
Kokai J:	itsuyo Shinan Koho 1971-2004 Ji	tsuyo Shinan Toroku Koho	1996-2004
Electronic data b	oase consulted during the international search (name of c	data base and, where practicable, search to	erms used)
C DOCUMEN	VTS CONSIDERED TO BE RELEVANT		
	I		D-1
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
X	JP 8-337923 A (Teijin Ltd.), 24 December, 1996 (24.12.96),		1,6-8 9,10
Y. A	Claims; Par. Nos. [0014], [00	0291	2-5,11-13
	(Family: none)		
	0 000450 7 (Winner Beton	rrahaahilai Traiaha)	9,10
Y	JP 8-209459 A (Nippon Ester 13 August, 1996 (13.08.96),	Kabushiki Kaisha),	9,10
	Claims		
	(Family: none)]
A	JP 62-231063 A (Toray Indust	ries Inc.)	1-13
A	09 October, 1987 (09.10.87),	1105, 1110.,,	
	Claims		
((Family: none)		
	·		
× Further do	ocuments are listed in the continuation of Box C.	See patent family annex.	
* Special cate	gories of cited documents:	"T" later document published after the int date and not in conflict with the applic	ternational filing date or priority
"A" document of to be of part	efining the general state of the art which is not considered ticular relevance	the principle or theory underlying the	invention
"E" earlier application or patent but published on or after the international filing date		"X" document of particular relevance; the considered novel or cannot be cons.	
"L" document which may throw doubts on priority claim(s) or which is		step when the document is taken alone	e
cited to est	ablish the publication date of another citation or other on (as specified)	"Y" document of particular relevance; the considered to involve an inventive	step when the document is
"O" document re	eferring to an oral disclosure, use, exhibition or other means	combined with one or more other such being obvious to a person skilled in the	i documents, such combination
"P" document p	published prior to the international filing date but later than date claimed	"&" document member of the same patent	
			
Date of the actual completion of the international search 21 September, 2004 (21.09.04)		Date of mailing of the international sea 12 October, 2004 (
21 26b	CORDCI, 2004 (21.03.04)	12 000002, 2004 (
Name and mailin	ng address of the ISA/	Authorized officer	
	se Patent Office	•	4
Faccimile No.		Telephone No.	
Form PCT/ISA/2	10 (second sheet) (January 2004)		•

INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP2004/008940

-			
Category*	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to claim No.
A	JP 48-10346 A (Toyobo Co., Ltd.), 09 February, 1973 (09.02.73), Claims (Family: none)		1-13
A	JP 2000-73232 A (Nippon Ester Kabushiki 07 March, 2000 (07.03.00), Claims (Family: none)	Kaisha),	1–13
E,A	JP 2003-335929 A (Teijin Ltd.), 28 November, 2003 (28.11.03), Claims (Family: none)		1-13
		·	
•			
	·		
,			
	·		
			•
	•		

PCT/JP2004/008940

Claim1 relates to an elastic fiber which is made of a polyether elastomer comprising polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and has the properties of "moisture absorption of 5% or above at 35°C and 95% RH and elongation on water absorption of 10% or above". Although claim1 includes all elastic fibers which are made of a polyether elastomer comprising polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and have the above properties, only such elastic fibers having hard segment/soft segment ratios falling within the range of 30: 70 to 70: 30 by mass are disclosed within the meaning of PCT Article 5. Thus, claim 1 is inadequately supported by the description within the meaning of PCT Article 6.

Further, the scope of elastic fibers made of a polyether elastomer comprising polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and having the properties of "moisture absorption of 5% or above at 35°C and 95% RH and elongation on water absorption of 10% or above" cannot be defined even in view of the common general technical knowledge at the time of filing. Thus, claim 1 does not satisfy the requirement of clearness provided for in PCT Article

Additionally, in claims 6 and 7, the elastic fiber is specified by the features as to "ratio of crystal-fusion peak height on the lower temperature side to crystal-fusion peak height on the higher temperature side, i.e., Hm1/Hm2" and "crystal-fusion peak temperature on the lower temperature side, i.e., Tm1, and crystal-fusion peak temperature on the higher temperature side, i.e., Tm2", and claims 6 and 7 include all elastic fibers which are made of a polyether elastomer comprising polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and specified by the above features. However, only such elastic fibers having hard segment/soft segment ratios falling within the range of 30: 70 to 70: 30 by mass are disclosed within the meaning of PCT Article 5. Thus, claims 6 and 7 are inadequately supported by the description within the meaning of PCT Article 6.

Further, the scope of elastic fibers made of a polyether elastomer comprising polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and specified by the above features as to "ratio of crystal-fusion peak height on the lower temperature side to crystal-fusion peak height on the higher temperature side, i.e., Hm1/Hm2" and "crystal-fusion peak temperature on the lower temperature side, i.e., Tm1, and crystal-fusion peak temperature on the higher temperature side, i.e., Tm2" cannot be defined even in view of the common general technical knowledge at the time of filing. Thus, claim 1 doesn't satisfy the requirement of clearness provided for in PCT Article

Accordingly, this search has been made only on elastic fibers which are made of the polyether elastomers specifically disclosed in the description, that is, polyether elastomers which comprise polybutylene terephthalate as the hard segment and polyoxyethylene glycol as the soft segment and have hard segment/soft segment ratios falling within the range of 30 : 70 to 70 : 30 by mass.